

# **S-38.148 Simulation of data networks**

13.9.2004

1

## **Parts of the course**

- Part 1: Theory
- Part 2: CNCL simulation tool
- Part 3: Ns2 simulation tool

13.9.2004

2

## Literature

- J. Banks, J.S. Carson, B.L. Nelson (1996)
  - Discrete-Event System Simulation
  - Prentice Hall, New Jersey
- A.M. Law and W. D. Kelton (1999, third edition)
  - Simulation modeling and analysis
  - McGraw-Hill, New York
  - 2nd edition is also OK
- R. Jain, (1991)
  - The Art of Computer System Performance Analysis
  - John Wiley & Sons,
- I. Mitrani (1982)
  - “Simulation techniques for discrete event systems”
  - Cambridge University Press, Cambridge
- Å. Arvidsson, (1988)
  - Simulering (in Swedish)
  - Studentlitteratur, Lund

13.9.2004

3

## Theory

- Introduction to simulation
- Flow of simulation -- generating process realizations
- Random number generation from given distribution
- Collection and analysis of simulation data
- Variance reduction techniques

13.9.2004

4

## What is simulation?

- With the aid of a computer program one imitates or simulates the operation of some real equipment or process
- The equipment or process is called the system
- In order to study the system, one has to make some assumptions about how the system operates
- The assumptions constitute the model of the system
  - typically the assumptions take the form of mathematical or logical relations

13.9.2004

5

## What is simulation (continued)?

- If the mathematical relations contained in the model are simple it may be possible to obtain exact information about the system by a mathematical analysis
- Most systems of the real world, however, are far too complicated for an exact mathematical analysis
- In such cases one may use simulation
  - in some sense simulation is “the last resort”
  - often it is only possible alternative
- In simulation a computer program is used for numerical imitation of the system
- In the course of simulation data is collected in order to estimate the interesting quantities

13.9.2004

6

## Objectives of the simulation of telecommunication

- Improvement of the performance
  - delays, throughput etc
- Guaranteeing performance goals before making purchasing decisions
- Estimating the effects of “local” changes on the whole network
- Identifying the system bottlenecks before commissioning of the system
- Minimizing the costs
- Shortening the development time of the system

13.9.2004

7

## Typical questions to be answered by simulation

- How does the network behave with increasing load?
- How many and how fast links / switches or how big buffers are needed in a WAN network?
- What are the consequences of a link failure?
- Which protocol gives the best performance?
- What is the most advantageous network structure?
- What happens if the number of PCs or workstations attached to a network is increased?
- How do new applications affect the LAN?
- Should one divide the LAN in smaller segments?
- Does one obtain the desired performance with a client server architecture?
- How many satellites are needed for a certain quality of service between two earth stations?

13.9.2004

8

## Typical quantities of interest in simulations

- Throughput (Mbit/s)
- End to end delay
- Delay between two points, A and B, in the network
- Number of packets in a buffer
- The utilization of links
- The blocking probability of a connection
- The probability of failure of a call hand-over in a mobile network
- The collision probability of packets in a LAN

## Advantages of simulation

- One can study the operation of very complicated systems
- One can study the operation of a system in the planning stage (without building a real system or a prototype)
  - compare different planning options or operation policies
  - sometimes building the simulation model is more important than the simulation itself
- One can study the behavior of an existing system under different operation conditions
  - by means of simulation one can tune the system parameters more easily and accurately than in the real system
- Simulation allows one to study the behavior of the system over longer periods of time (in a compressed time scale)
  - or conversely very fast events in a slowed down time scale

### ... and limitations

- In case of very large systems, even simulation approach may not be feasible because
  - the creation of the simulation model may require too much effort
  - writing the simulation program may be a very big task
    - several simulation languages and tools are available to facilitate the task
  - running the simulation program may take a very long time
- Simulation does not solely or primarily concern writing the program
  - important is the model and
  - how simulation is used to make conclusions

13.9.2004

11

### Performance evaluation: analysis vs. simulation

- Simulation is (from the point of view of traffic theory) a statistical method for the performance evaluation of the considered system
- It consists of four steps
  - the modeling of the system (a real one or a virtual one) as a dynamic (developing in time) stochastic process
  - generation of realizations of the process ("observation")
  - collection of data ("measurement")
  - statistical analysis of the data and drawing conclusions
- Mathematical analysis is an alternative approach
- It consists of two steps
  - the modeling of the system as a time-dependent stochastic process
  - analytical solution of the model
- Modeling the system is a common step in both approaches
  - the modeling may, however, differ with regard to the level of detail: in contrast to simulation, mathematical analysis usually necessitates making restrictive assumptions

13.9.2004

12

## Performance evaluation: analysis vs. simulation (continued)

- Disadvantages of mathematical analysis
  - Requires restrictive assumptions  
=> model can be too simple  
=> performance evaluation of complex systems may be impossible
  - Even under simplifying assumptions the analysis may be difficult, calls for experts
  - The results may be limited to
    - equilibrium
    - average values
- Advantages of mathematical analysis
  - The results can be obtained quickly
  - The results are exact
  - Gives insight
  - Allows optimization (though possibly difficult)
- Advantages of simulation
  - No constraints in the model building  
=> allows performance evaluation for of complex systems
  - Modeling is usually straight forward
- Disadvantages of simulation
  - Producing results is laborious (needs a lot of processing time)
  - Results are imprecise (though the precision can be increased by running more iterations)
  - Getting insight is more difficult
  - Optimization is more difficult (e.g. may limit to the trial of a few parameter combinations)

13.9.2004

13

## Common pitfalls in simulation

- The goals of the simulation are not clearly defined
  - the system or important questions are not understood well enough
  - “let’s simulate, the problem will become clearer “
- Not enough communication with the problem owner
- Inappropriate level of detail (too many / too few details)
  - with too many details any simulation program will get stuck
  - too little detail may depend on missing data
- Focus on the simulation program
  - as if the task is solely to write a demanding program
- Lack of expertise on
  - the system, performance analysis, statistical analysis
- Use of wrong tools
- Too much reliance on commercial simulators
  - which create the illusion that anybody can use the tool intelligently
  - misuse of animations

13.9.2004

14


## Performance evaluation: analysis vs. simulation (continued)

- Improper handling of stochastic features in the system
  - arbitrary or unjustified choice of distributions (e.g. the normal distribution)
- Reliance on one simulation
  - simulation must be repeated several times in order to assess the accuracy of the
  - when one single run is used, the statistical dependencies have to be accounted for
- Improperly handled initial phase
  - the initial part of the simulation (starts from from a given state) is not representative and must be discarded
- Too short a simulation
- Poor random number generators
- Improper selection of seeds
  - random number streams (used for different purposes) in one simulation must not start with the same seed (e.g. 0) because this can create correlation between different processed
  - desirably the random number streams do not overlap at all

13.9.2004

15

## Performance evaluation of a system



13.9.2004

16



## Steps in simulation of a stochastic system

- Modeling of the system as a time dependent stochastic process
- Generating realizations of the process
  - generating random numbers
  - event driven simulation
  - often the word simulation refers to this step only (from the point of view of traffic theory this is simulation in restricted sense)
- Collection of data
  - transient phase vs. equilibrium
- Statistical analysis and conclusions
  - point estimators
  - confidence intervals

13.9.2004

17

## System

- The system is a set of interacting entities
- The state of the system is a set of variables which at a given instant define the system with a precision sufficient to the study
  - number of occupied trunks, number of packets in the buffer etc
- Discrete system
  - the values of the state variables take a set of discrete values (jump at discrete instants)
  - “digital” systems
- Continuous systems
  - the state variables change continuously as a function of time
  - the dependencies between them are often described by systems of differential equations
  - “analog” systems
- Often the use of discrete or continuous description of the system is free option for the modeler
  - depends on the time scale of events one is interested in
  - a discrete system can on a coarser level be considered as a continuous one (e.g. fluid queues)

13.9.2004

18

## Simulation models

- Static simulation model
  - relates to a given instant of time or the equilibrium state of the system -- time is not considered at all
  - estimation of some quantities from a given distribution
  - e.g. numerical integration of many-dimensional integrals with so called Monte Carlo method
- Dynamic simulation model
  - describes the development of the system in time
- Deterministic model
  - does not contain stochasticity
  - with given input the output is uniquely determined (possibly by very complicated relation)
- Stochastic model
  - takes into account that in real world there is always some stochasticity (e.g. arrival instants and holding times of calls)
  - with given input the output is stochastic
  - by simulation one can assess the distributions or get estimates for expectations or other characteristic numbers of the distributions

13.9.2004

19

## Simulation models (continued)

- There is some ambiguity in the use Monte Carlo simulation
- Most often it refers to the *static* simulation
  - classical example is Buffon's needle:
    - a needle with length  $d$  is cast on the floor with parallel lines at distances  $d$
    - the probability that the needle in on a line is  $2/\pi$
    - with repeated casts one gets an estimate  $2/\pi$
- Sometimes Monte Carlo -simulation refers to *stochastic* simulation in general (i.e. dynamic as well as static stochastic simulation)
  - this was the original use of the term by J. von Neumann and S. Ulam who during the World War II studied neutron transport in nuclear material
  - many of the ideas in simulation originate from this and related work

13.9.2004

20

## Simulation models (continued)

- Simulation of the (traffical) performance of telecommunication systems mostly use a simulation model which is
  - discrete
  - dynamic
  - stochastic
- In this course we are primarily interested in this kind of systems and simulation models
- With regard to the stochasticity there are two alternatives
  - one creates a model for the stochastic processes and generates the random variables from this known process
  - one uses measured sequences from real systems as stochastic input; this is called trace-driven simulation

13.9.2004

21

## Trace driven simulation

### Advantages

- Credibility
  - real input
  - correct load conditions
- Allows easy verification of the model
  - compare with measured values
- Allows precise comparisons
  - as the load is exact(real) one can reliably compare the effect of even small differences in the system
- Less stochasticity
  - the trace is deterministic results are variable only due to stochasticity in other parts in the system

### Disadvantages

- Complexity
  - requires a more accurate model
  - takes a lot of time
- Representativity
  - a trace taken from one system may not be representative for another system
- Only one point of comparison
  - a system which is optimized using one trace may not be optimal with another trace
- Limitedness
  - saving a trace takes a lot of space and one may need to restrict the trace to cover a relatively short period of time
- Changing the load is difficult
  - one trace represents one load level
  - sensitivity studies are difficult or require several traces at different loads

13.9.2004

22

## Creating a simulation model

- Simulation is intended to serve as a substitute for experiments in a real system
- Model must be as *correct* as possible
  - the conclusions drawn on the basis of the model must be the same as those drawn from measurements in a real system
- The model must be *credible*
  - only then can any model (even a correct one) have any impact on the decision making process
  - the worst case though is a model which is credible but erroneous

## Principles in the model creation

- Define carefully what is going to be studied
  - which quantities have to be measured
  - what the model is to be used for
  - alternative system configurations which are to be compared
- Choose an appropriate level of detail
  - ask expert opinion for sensitivity assessment: which parts of the system are most critical from the point of view of the results
  - or use “coarse” simulation or analytical results for sensitivity analysis
  - start with a “reasonable” level of detail, add more details as needed
  - don’t include details that are unimportant to the results
  - the level of detail must correspond to the level of input data

## Model validation

- One has to make sure that the model actually describes the system
  - assumptions
  - the values or distributions of the input parameters
- Three different means for the verification
  - the intuition of experts
  - comparison with measurements in a real system
  - theoretical results

13.9.2004

25

## Model validation (continued)

- Expert intuition
  - a common and practical method
  - “brain storming” with people who know the system in order to define sensible assumptions and input data
  - an expert can easily recognize “impossible” results
- Comparison with measurements in the real system
  - the best and most reliable method
  - often difficult to apply: there is no real system, measurements are too expensive...
- Theoretical results
  - in some cases the system or some part of it can be analyzed under simplified assumptions
  - the simulation can be run under the same assumptions; at least then should the results match
  - this does not, however, guarantee that the model is generally valid

13.9.2004

26

## Building a simulation program

- Building a simulation program contains the steps mentioned expect for model creation and conclusions, i.e.
  - generation of realizations for the stochastic process chosen as the model
  - collection of data
  - statistical analysis of the data
- Simulation program can be written using
  - a general purpose programming language, e.g. C tai C++,
  - some program libraries supporting simulation, e.g. CNCL
  - specific simulation languages (SIMULA, BONEs NetDESIGNER, GPSS, MODSIM, SES/workbench, SIMSCRIPT, OPNET Modeler)
  - tools developed for the simulation of specific systems (BONEs PlanNet, COMNET III, NETWORK II.5)

13.9.2004

27

## General purpose languages vs. simulation languages

### General purpose languages

(C, C++, Fortran...)

- Most users can use some of these languages
- Are available in most computers
- Code can be easily transported
- Low cost of the programs
- The code is often faster
- Flexibility, one can write “anything”
- Requires a lot of programming work
- Susceptible to errors -- requires careful verification of the code
- Special libraries can facilitate the work

### Simulation languages (general purpose)

(SIMULA, BONEs NetDESIGNER, GPSS, MODSIM, SES/workbench, SIMSCRIPT)

- Support many features needed in the programming of a simulation model
- Shorter development time -- lower total cost of the project
- Supporting features (or ready modules) for telecommunication system modeling)
- Can be used for simulation of other kind of systems, e.g. production systems
- -programming with the aid of the modeling constructs of the language

### Simulation languages (telecom oriented)

(OPNET, BONEs, OMNET++)

- Developed specifically for the simulation of telecommunication systems

13.9.2004

28

## Telecommunication simulators

- Allow the simulation of networks of given type without actual programming
- The type of the network (or network element) is picked from a menu
- Typical elements are, e.g.
  - LAN-type (Ethernet, token ring...)
  - Interconnection elements of LANs (bridges, routers...)
  - Stations attached to the LAN (PCs, workstations...)
- Fast implementation
- Easy to produce graphical representations
- Stiff, limited to the available elements
- Can easily lead to misuse of simulation

13.9.2004

29

## Planning and verification of the program

- Use top-down planning
- Modular structure of the program
  - divide the program in clearly defined blocks which communicate through well-defined interfaces
- Object oriented programming
  - use generic object classes (system components)
  - using the well tested generic classes one can create more specific classes for own purposes
- Debug using tracers
- Let others read the program
- Make test runs with different input parameters
  - check the sensibility of the results in each case
- Make test runs in simplifies cases
  - where the correct results are known or can be easily calculated
- Animated results may make possible errors apparent

13.9.2004

30