

S-38.3192
ITGuru Exercise

**General information of Configuration Parameters and
Topology**

Spring 2007

Timo-Pekka Heikkinen, Juha Järvinen and Piia Töyrylä

Acronyms

AS	Autonomous System
eBGP	External Border Gateway Protocol
iBGP	Internal Border Gateway Protocol
IF2	Interface #2
IS-IS	Intermediate System to Intermediate System
LB0	Loopback #0
NSAP	Network Service Access Point
VPN	Virtual Private Network

Configuration Parameters

cabernet

LB0	10.100.100.6/32
AS	65000
NSAP	49.0001.0102.XXXX.8006.00
IF4	10.111.0.26/30
IF5	10.111.0.37/30

chardonnay

LB0	10.100.100.1/32
AS	65000
NSAP	49.0001.0102.XXXX.8001.00
IF4	10.111.0.22/30
IF5	10.111.0.1/30
IF6	10.111.0.5/30

gewurztraminer

LB0	10.100.100.7/32
AS	65002
IF5	10.111.0.33/30

merlot

LB0	10.100.100.4/32
AS	65000
NSAP	49.0001.0102.XXXX.8004.00
IF4	10.111.0.13/30
IF5	10.111.0.10/30
IF6	10.111.0.25/30

pinot_noir

LB0 10.100.100.3/32
AS 65000
NSAP 49.0001.0102.XXXX.8003.00
IF4 10.111.0.6/30
IF5 10.111.0.14/30

riesling

LB0 10.100.100.5/32
AS 65000
NSAP 49.0001.0102.XXXX.8005.00
IF4 10.111.0.34/30
IF5 10.111.0.21/30


sauvignon

LB0 10.100.100.2/32
AS 65000
NSAP 49.0001.0102.XXXX.8002.00
IF4 10.111.0.2/30
IF5 10.111.0.9/30

shiraz

LB0 10.100.100.8/32
AS 65002
IF5 10.111.0.38/30

Topology



Protocols

